

The Brighton Village Board met in special session on the above date at the Village Hall. The meeting was called to order by the President, Eugene Bott with the following answering the roll call: Kamp, Powell, Schoeberle, Dodge, Scheffel, Vonnahmen. Absent: None.

The purpose of the special meeting was to discuss proposed sewers. Mr. Deyer McGowin from a bonding firm and Mr. Clifford Abraham, Village Engineer, were present to talk over the next step in the sewer planning. Mr. McGowin was to get further information and present it at a later meeting.

A plat for Southern Subdivision was brought before the Board for discussion. Schoeberle moved and Powell seconded the motion to accept the plat of Southern Subdivision with street provisions as listed on attached page.


ROLL CALL VOTE:

YEAS: Kamp, Powell, Schoeberle, Dodge, Scheffel, Vonnahmen.

NAYS: None.

Motion carried.

Being no further business to come before the board, Kamp moved and Dodge seconded the motion to adjourn. Motion carried. Meeting adjourned.


James F. Hughes
Village Clerk

Streets to have 6" of rock, 20' wide

All culverts must be approved for length and diameter by the village street committee

Ditches must be a minimum of 12" to whatever necessary to drain

Expense of first application of rock and oil to be borne by subdivider

The first application of rock must be of $1\frac{1}{2}$ " size and balance must be of $\frac{3}{4}$ " size.

Streets should have a crown of approx. 12" when finished.